


1 Introduction

All of you have different reasons for being in this class. Most of you are here because either you or someone else decided that you need to refresh or acquire some skills that are needed in a course that you may need either for your major or graduation. Ordinarily, that is how the class was treated: an opportunity to remind you of skills and procedures that you have learned and forgotten, or never quite learned. We have different goals for this class. While it's important to develop certain skills, it is more important to know what to do with those skills. In all of the classes that will follow, and not just mathematics ones, as well as in all the interactions with the world around you, it's important to have an ability and skill to think through a problem you encounter, make a plan for solving the problem, execute it and then look back, think through your answer and decide on its reasonableness. It is also important to realize the power mathematics holds in both dealing with the world around us, but also in its own right. We need to get away from the view that mathematics looks like this:



In this section you will find some big ideas that we think are important to keep in mind as you're working through this course. You will also find the learning outcomes that can serve you as a guide to what you should be learning. Each section will contain a list of essential questions you should be able to answer at the end of the unit.

1.1 Big Ideas

1. We can talk about many different instances of a situation at the same time: variability can be described and used productively.
2. The number systems developed from our need to solve various problems. We choose to extend the existing number systems so that the properties of operations are retained.
3. Problems come from various areas and not all of them can be solved, but much can be learned from attempts at solution, successful or not.

1.2 Learning Outcomes

1. Students are willing to engage with problems which are unfamiliar to them and to which the solutions or paths to solutions are not immediately obvious.
2. Students can extract relationships between quantities and describe them in different ways: tables, expressions, graphs, words, and can translate between these representations in order to answer questions most efficiently.
3. Students can answer questions about quantities given relationships between two or more by solving equations, whether it be algebraically, using tables, graphs or approximating.
4. Students understand how different growth patterns influence shape of the graph.
5. Students can recognize linear, exponential and polynomial from verbal descriptions, tables, and graphs.

1.3 Warming up for the semester

Question 1.1 (Brazil) Two mothers and two daughters sleep in the same room. There are only three beds and exactly one person sleeps on each of them, yet all people are accounted for. How is this possible?

Question 1.2 (Ireland) One day three brothers were going past a graveyard. One of them said, “I shall go in so that I may say a prayer for the soul of my brother’s son.” The second man said the same thing. The third brother said, “I shall not go in. My brother’s son is not there.” Who is buried in the graveyard?

Question 1.3 (Puerto Rico) Who is the sister of my aunt, who is not my aunt, but is the daughter of my grandparents?

Question 1.4 (Russia) An old man was walking with a boy. The boy was asked, “How is the old man related to you?” The boy replied, “His mother is my mother’s mother-in-law. What relation is that?”

Question 1.5 On your calculator (your cell phone probably has one):

- Put in first 3 digits of your phone number
- Multiply by 80
- Add 1
- Multiply by 250
- Add the last four digits of your phone number
- Add the last four digits of your phone number
- Subtract 250
- Divide by 2
- What did you get?

Was that surprising? Try to explain why that happened.


Question 1.6 A pot and a lid cost \$11 (this was once upon a time). The pot costs \$10 more than the lid. How much does each item cost individually?

Question 1.7 What do these questions have to do with mathematics? What do they have to do with algebra? Describe the process you used to solve these questions.

2.1 Essential questions

1. How do we describe a pattern?
2. How can patterns be used to make predictions?
3. What are some ways to represent, describe, and analyze patterns?

Question 2.1 Look at the pattern below and answer the questions:




- Describe the pattern that you see in the sequence of figures above.
- Assuming the sequence continues in the same way, how many dots are there on the fourth day? On the fifth day? On the tenth day?
- How many dots are there on the 100^{th} day?

- Describe the pattern that you see in the sequence of figures above.
- Assuming the sequence continues in the same way, how many dots are there on the fourth day? On the fifth day? On the tenth day?
- How many dots are there on the 100^{th} day?

2.3 Tiling a Pool

Question 2.3 The summer season is nearly over and the owner of the local pool club is thinking of what all needs to be done once the pool closes. One of the common things in need of repair are the tiles around the perimeter of the pool. In the picture below a 5 foot square pool has been tiled with 24 square tiles (1 foot by 1 foot).




- a. Make sketches to help you figure out how many tiles are needed for the borders of square pools with sides of length 1, 2, 3, 4, 6, 10 feet without counting. Record your results in a table.

- b. Write an equation for the number of tiles N needed to form a border for a square pool with sides of length s feet. How do you see this equation in the table? How do you see the equation in your pictures?

- c. Try to write at least one more equation for N . How would you convince someone that your expressions for the number of tiles are equivalent?

d. Use your work to decide how many tiles you would need for a square pool whose sides are 127 feet long. What about a square pool whose sides are 128 feet long?


e. Graph the relationship you observed between s (the side length) and N (the number of tiles needed).




s side length	N number of tiles
1	24
2	
3	
4	
5	
6	
10	

f. Relate the growth pattern in each of the representations of the pattern (table, equation, graph).


Question 2.4) the number of tiles differently. Show their solution in the diagram and explain their thinking.




$$4(s+1)$$




$$4s+4$$




$$2s+2(s+2)$$



$$4(s+2)-4$$



$$4(s+2 \cdot \frac{1}{2})$$



$$(s+2)^2 - s^2$$

How can you convince someone that all of the expressions are equivalent? Use both properties of operations on whole numbers as well as the diagrams.

Definition 1 An infinite list of numbers is called a **sequence**. Sequences are written in the form

$$a_1, a_2, a_3, \dots$$

a_n is called the n^{th} term of the sequence.

The third term in the sequence listed above is a_3 . The "3" refers to the position of the member within the sequence and a_3 refers to the number that is in that position. For example, if we look at the sequence $\{b_n\}$ whose members are listed below:

$$17, 13, 9, 5, 1, -3, -7, \dots$$

We can tell that $b_1 = 17$, $b_6 = -3$. What is b_4 ? What is the 10th term of this sequence?¹

Question 2.5 If p_1, p_2, p_3, \dots is a sequence such that

$$p_n = \text{\#tiles around a square pool of side length } n,$$

- What is the value of p_5 ?
- What is the value of p_{15} ?
- What is the value of p_n ?
- What is the relationship between p_n and p_{n+1} .

Definition 2 A sequence a_1, a_2, a_3, \dots is an **arithmetic sequence** if there is a number d such that you obtain any member of the sequence by adding d to the member that came before it. Symbolically, we'd write that:

$$a_n = a_{n-1} + d.$$

Question 2.6 Is the sequence p_1, p_2, p_3, \dots (from Question ??) an arithmetic sequence?

¹You would write that: $b_{10} = \quad$.

2.4 Geometric Sequences

Question 2.7 Social media has created a way to quickly share information (articles, videos, jokes, ...). Gangnam Style is a YouTube video that became popular in July 2012. On September 6th, the video had 100,000,000 views. On December 21st the video was the first video in history to have over 1,000,000,000 views. If Gangnam style was released on July 15, how many days did it take to for the video to hit 100,000,000 views? How many days did it take for the video to breach 1,000,000,000 views?

Question 2.8 To model the sensation of "viral videos", assume that on day one there was one view, that every new view corresponds to a new person seeing the video and on average a new viewer shows the video to 2 new people.

- a. How many times was the video viewed on day 2?
- b. How many times was the video viewed on day 3?
- c. How many times was the video viewed on day 5?
- d. How many times was the video viewed on day n ?
- e. Let v_1, v_2, v_3, \dots be a sequence such that

$$v_n = (\text{the number of times the video is viewed on the } n^{\text{th}} \text{ day}).$$


Write down an algebraic relationship between v_n and v_{n+1} .

- f. How many times is the video viewed in the first two days?
- g. How many times is the video viewed in the first three days?
- h. How many times is the video viewed in the first five days?
- i. How many times is the video viewed in the first n days?
- j. Let t_1, t_2, t_3, \dots be a sequence such that

$$t_n = (\text{total number of views from day 1 to day } n).$$

Write down an algebraic relationship between t_n and t_{n+1} .

Question 2.9 The graph below is data from YouTube about the actual number of views of Gangnam Style. Does our model accurately describe the behavior of the viral video phenomena? What do you think some limitations of our model are?




Question 2.10 A ball is dropped from a height of 10 feet. The ball bounces to 80% of its previous height with each bounce.

- a. How high does the ball bounce after the first bounce? e. Record (n, b_n) in a table and graph the relationship between n and b_n .

- b. How high does the ball bounce after the third bounce?

- c. How high does the ball bounce after the n^{th} bounce?

- d. Let b_1, b_2, b_3, \dots be a sequence where b_n is the height the ball bounces after the n^{th} bounce. What is the relationship between b_n and b_{n+1} ?



n	b_n
1	8
2	
3	
4	
5	
6	
10	

- f. The sequence b_n models the height of a ball bouncing. How many times does the model predict the ball will bounce? Is this realistic?

Question 2.11 Assume you invest \$1,000 in a savings account that pays 5% a year.

- a. How much money will you have after one year?

- b. How much money will you have after two years?

- c. How much money will you have after 50 years?

- d. How much money will you have after n

n	m_n
1	
2	
3	
4	
5	
6	
10	

- e. Let m_1, m_2, m_3, \dots be the sequence such that m_n = dollars in account after n years. What is the relationship between m_n and m_{n+1} ?

Question 2.12 The height of a ball bouncing, the number of viral video daily views, and the amount of money in the bank account are all examples geometric sequences. Describe similarities and differences among these three examples.

2.5 Counting High-Fives

After a sporting event, the opposing teams often line up and exchange high-fives. Afterward, members of the same team exchange high-fives. In this problem, you will explore the total number of high-fives that take place at the end of a game.

- Every player exchanges exactly one high-five with every other player.
- When two players exchange a high-five, it counts as one exchange, not two.


Question 2.13 Let n be the *combined* number of players on each of the two teams. Let H_n be the number of high-fives that are exchanged at the end of the game.

Complete the following table.

n players	H_n high-fives
1	
2	
3	
4	
5	
6	
7	

Question 2.14 Is the sequence H_1, H_2, H_3, \dots an arithmetic sequence? Is the sequence geometric?

Question 2.15 Sketch the graph of the high-five sequence, then describe what you see, comparing and contrasting it to the patio sequence from Question 2.3.




Question 2.16 What is the relationship between H_n and H_{n-1} ?²

Question 2.17 Find an explicit formula for the sequence H_n .

Question 2.18 The defining quality of an arithmetic sequence is the constant difference between consecutive terms in the sequence.

- a. Is there a constant difference between terms in the hand shake sequence?

The following picture describes how to find the second difference of a sequence:



- b. Add 3 terms to the top row and complete the picture.
- c. What is the pattern?


²Think about the context of the problem. If the 4th player enters the scene, how many players are there with whom she has to exchange high fives? What about when the 5th player enters?

Question 2.19 Let $\{t_1, t_2, \dots\}$ be a sequence where the n -th term is given by $3t^2 + t + 4$.

a. Fill in the following table:

n	t_n
1	
2	
3	
4	
5	
6	
7	


b. Calculate a few second differences of this sequence. To help you organize your thoughts, use the following diagram:



Question 2.20 Make up your own sequence which has a constant second difference.

Question 2.21 Make up your own sequence which has a constant third difference.

Question 2.22 A polygon is a closed shape consisting of line segments which pairwise share a common point. Below are drawn 3-sided, 4-sided, 5-sided and 6-sided polygons which you may know under different names.



A diagonal of a polygon is a line segment which connects non-adjacent vertices of the polygon. Draw all diagonals for each polygon pictured above. Let's consider the sequence $\{d_n\}$ where d_n is the number of diagonals of a polygon with n sides.

- a. Fill in the following table and sketch a graph.

n sides	d_n diagonals
1	
2	
3	
4	
5	
6	
7	



- b. Can you come up with a recursive formula for the sequence?

- c. Can you come up with an explicit formula for the sequence? ³


³Once again, it's useful to think about the context of the problem.

2.6 More Sequences

Question 2.23 The sequence t_1, t_2, t_3, \dots is given by the following table:

n	1	2	3	4	\dots	n
t_n	2	5	8	11	\dots	$3n - 1$


- a. Graph the first few terms of t_n .



- b. Does it make sense to connect the dots? Explain.
- c. What is the relationship between t_n and t_{n+1} ?
- d. Is this sequence a geometric sequence, an arithmetic sequence or neither?
- e. On the same grid paper, make a graph for the sequence where the n^{th} term is $s_n = 3n + 1$. Compare your graph with the one you drew in the previous problem. How are they the same? How are they different?

Question 2.24 Let's look at odd numbers! 1 is the first odd number, 3 is the second odd number, and so on. What is the 31st odd number?

- In terms of n what is the n^{th} odd number?
- Does the sequence of odd numbers $1, 3, 5, 7, \dots$ form a geometric sequence?
- Graph the first few terms of the sequence of odd numbers. Do the points you graphed lay on a straight line?




Question 2.25 Let s_1, s_2, s_3, \dots be the sequence such that s_n is the sum of the first n odd numbers, for example: $s_5 = 1 + 3 + 5 + 7 + 9 = 25$.

- Fill in the following table

n	1	2	3	4	7	n
s_n	1					

- Is s_n a geometric or arithmetic sequence?
- What is the relationship between s_n and s_{n-1} ?
- Can you write down the algebraic expression for s_n ?

Question 2.26 Look at the figure below and answer the questions that follow.



- a. How many squares are in the top row?
- b. How many squares are in the second row?
- c. How many squares are in the fourth row?
- d. If the figure were extended indefinitely forever, how many squares would be in the n^{th} row?
- e. Which question(s) that we have already answered does this relate to?
- f. How many unit squares are in the first row? (a unit square is the smallest one in the picture)
- g. How many unit squares are in the first two rows?
- h. How many unit squares are in the first n rows?
- i. What is the sum of the first n odd numbers?

Question 2.27 Suppose you put 2 cents in a jar today and each day thereafter you triple the amount you put in the previous day. How much would you put in on the 17th day? How big must your jar be?


Question 2.28 Is there a sequence that can be claimed to be both arithmetic and geometric?

Question 2.29 Miguel was asked to consider the pattern 0, 5, 10, 15, ... and list the next term. Miguel said 24. Can you figure out why Miguel chose that instead of 20?


2.7 Homework

2.7.1 Visual Patterns


Exercise 1 Look at the pattern below and answer the questions:




Day 1



Day 2




Day 3




Day 4

- Describe the pattern that you see in the sequence of figures above.
- Draw the figure that would appear on the fifth day.
- The figure on the second day requires 5 line segments. How many line segments are needed on the fifth day?
- How many line segments are needed on the 25th day?


Exercise 2 Look at the pattern below and answer the questions:




Day 1



Day 2



Day 3



Day 4


- Describe the pattern that you see in the sequence of figures above.
- Assuming the pattern continues in the same way, draw the figure that occurs on the fifth day.
- The side length of each pentagon is 1. What is the perimeter of the figure on fifth day?
- What is the perimeter of the figure on day 30?

2.7.2 Tiling a Pool

Exercise 3 *A cafeteria in a school has square tables where students can eat lunch in groups of four. If six students want to eat lunch at the same table, then they can push two tables together to accommodate their group; even larger groups can be handled by joining together more tables in a straight line.*

- Draw diagrams representing this sequence.
- Construct a sequence that models this situation and fill in a table for the first several members of the sequence.
- If possible, describe both recursive and explicit rules for the sequence.
- Draw a graph representing this situation.
- Find the value of 32nd member of the sequence. What does the 32nd term in the sequence tell us?
- Is there a member of the sequence whose value is 324? How do you know?

Exercise 4 *Remember the pool problem? The design people decided that it would be much neater if they made the boarder slightly larger and little more complex. Here is the design that they've come up with.*



There are multiple quantitative properties that we can describe about this tiling pattern (example: total number of tiles used).

- List 5 properties that can be described quantitatively.
- Choose 2 properties and describe both of them in the following ways:
 - Verbally
 - Recursively
 - Explicitly
 - Graphically
 - Tabularly

Exercise 5 For each arithmetic sequence below, find the common difference, and write the n th term in terms of n :

- a. $2, 7, 12, 17, 22, \dots$
- b. $2 + 1 \cdot 5, 2 + 2 \cdot 5, 2 + 3 \cdot 5, \dots$
- c. $y + 1 \cdot 5, y + 2 \cdot 5, y + 3 \cdot 5, \dots$
- d. $y + 1 \cdot x, y + 2 \cdot x, y + 3 \cdot x, \dots$

Exercise 6 Below is a picture of a candy machine at the Gateway Mall (400 W 100 S). Each time a costumer inserts a quarter, 15 candies come out of the machine. The machine holds 15 pounds of candy. Each pound of m&m's contains 220 individual candies.

- a. How many candies are in the machine when it is full?
- b. How many candies are in the machine after 1 customer? How many are in the machine after 2 customers?
- c. The amount of candies in the machine after n customers can be modeled using an arithmetic sequence c_n . Write down the explicit formula for c_n . What is the relationship between c_n and c_{n+1} ?
- d. When does our model stop making real world sense?
- e. To avoid theft, the owners of the machine don't want to let too much money collect in the machine, so they take all the money out when they think the machine has about \$30 in it. The tricky part is that the store owners can't tell how much money is actually in the machine without opening it up, so they choose when to remove the money by judging how many candies are left in the machine. About how full should the machine look when they take the money out? How do you know?



Exercise 7 Given the arithmetic sequence: $1, 3, 5, 7, \dots$


- a. List the next 4 terms in the sequence.
- b. Make a table with the first 8 terms of the sequence.
- c. Give an algebraic expression for the n^{th} term in the sequence.
- d. What is the 100^{th} term in the sequence?

Exercise 8 The following sequence is an arithmetic sequence: $2, 5, 8, \dots$

- a. What is the common difference?
- b. What is the 12-th term? What is the n -th term?
- c. Graph the first 5 terms.

2.7.3 Geometric Sequences

Exercise 9 *The following message began circulating on the Internet around 21 November 1997:*



The first step in the chain has Bill Gates sending the email out to his 8 closest friends. Assume that everyone that receives the email forwards it to 10 people. So the second step in the chain has 8 friends each sending out 10 emails, therefore a total of 80 people receive the email in the second step.

- How many people receive the email in the third step?
- How many people receive the email in the fourth step?
- Lets model how many people receive the email on the n -th day using a geometric sequence e_n . Write an explicit formula for e_n .
- How is e_n related to e_{n-1} ?
- After the second step a total of 88 people received the email. How many total people received the email after the third step?
- How many steps does it take the chain letter to reach 1000 recipients?
- If after the fifth step Bill Gates realizes it is getting out of control and puts an end to the chain letter, how much money is he on the hook for?

Exercise 10 *The following sequence is a geometric sequence: 2, 10, 50, 250, ...*

- What is the common ratio?
- What is the n -th term?
- What is the recursive definition for this sequence?
- Graph the first 5 terms.

Exercise 11 For each geometric sequence below, find the common ratio, write the formula for n -th term, and find 12th term of the sequence:

a. $2, 6, 18, 54, \dots$

b. $2 \cdot 3, 2 \cdot 9, 2 \cdot 27, \dots$

c. $25, 5, 1, \frac{1}{5}, \dots$

d. $y \cdot x, y \cdot x^2, y \cdot x^3, \dots$


2.7.4 Counting High-Fives

Exercise 12 Let $\{t_1, t_2, \dots\}$ be a sequence where the n -th term is given by $4n^2 - n + 4$.

1. Fill in the following table:

n	t_n
1	
2	
3	
4	
5	
6	
7	

2. Calculate a few second differences of this sequence. To help you organize your thoughts, use the following diagram:




Exercise 13 Let $\{q_1, q_2, \dots\}$ be a sequence where the n -th term is given by $3n^2 - n + 1$.

1. Fill in the following table:

n	q_n
1	
2	
3	
4	
5	
6	
7	

2. Calculate a few second differences of the hand shake sequence. To help you organize your thoughts, use the following diagram:



Exercise 14 In the Section 2.5 we discovered that if n people exchange handshakes there is a total of $\frac{n(n-1)}{2}$ handshakes. Write a convincing argument about why this formula works. A complete answer should include: pictures, examples, and an argument about the general case.

Exercise 15 Let S_n be the sum of the first n positive integers, for example $S_5 = 1 + 2 + 3 + 4 + 5$.

- a. Fill in the following table:
- b. Is this sequence similar to another sequence we have studied? Use this information to write down an explicit formula for S_n .

n	S_n
1	
2	
3	
4	
5	
6	
7	

The following captures a beautiful argument attributed to Gauß to compute S_{100} .

$$\begin{aligned}
 S_{100} &= 1 + 2 + 3 + \dots + 98 + 99 + 100 \\
 &= (1 + 100) + (2 + 99) + (3 + 98) + \dots + (50 + 51) \\
 &= \underbrace{101 + 101 + 101 + \dots + 101}_{\text{There are fifty 101's}} = 50 \cdot 101 = 5050
 \end{aligned}$$

- c. Which algebraic rules are being used when we write the second equality?
- d. Use this argument to verify our formula for S_n .

2.7.5 More Sequences

Exercise 16 Each sequence below is either arithmetic or geometric. First decide if the sequence is arithmetic or if it is geometric, then find the next two terms of the sequence, then find 83 term of the sequence:

- a. $54, 18, 6, \dots$
- b. $2 \cdot 3, 2 \cdot 3 + 4, 2 \cdot 3 + 8, \dots$
- c. $-3, -4, -5, -6, -7, -8, \dots$
- d. $25, -5, 1, -\frac{1}{5}, \dots$
- e. $ab, a^2b^3, a^3b^5, \dots$

Exercise 17 The sum of the interior angles of a triangle is 180° , of a quadrilateral is 360° and of a pentagon is 540° . Assuming this pattern continues, find the sum of the interior angles of a dodecagon (12 sides). As an extra challenge try and figure out why this pattern occurs.

Exercise 18 A culture of bacteria doubles every 2 hours. If there are 500 bacteria at the beginning, how many bacteria will there be after 24 hours?

Exercise 19 The following sequences are neither geometric or arithmetic. Graph the terms given for each sequence and describe how the graph shows that the sequences are not arithmetic.

- a. $5, 8, 13, 20, 29, 40, 53, 68, \dots$
- b. $7, 13, 23, 37, 55, \dots$
- c. $-2, 7, 22, 43, 70, \dots$

Exercise 20 The following sequences are arithmetic. Find the missing terms.

- a. $7, \square, 15, \dots$
- b. $10, \square, \square, -14, \dots$
- c. $15, \square, \square, \square, \square, 15, \dots$

Exercise 21 Each spring, a fishing pond is restocked with fish. That is, the population decreases each year due to natural causes, but at the end of each year, more fish are added. Here's what you need to know.

- There are currently 3000 fish in the pond.
- Due to fishing, natural death, and other causes, the population decreases by 20% each year.
- At the end of each year, 1000 new fish are added to the pond.

Using the information provided we will try to understand what happens to this population of fish in the long term.

- Fill in the table that will contain the amount of fish in the pond during the first 20 years.
- Graph this data.
- Let f_n be the number of fish in the pond after n years. What is the relationship between f_n and f_{n-1} ?
- Predict approximately how many fish will be in the pond after 40 years.

Exercise 22 Look at the sequence of even numbers. 2 is the first even number, 4 the second, and so on. What is the millionth even number?

- In terms of n what is the n^{th} even number?
- Does the sequence of even numbers 2, 4, 6, 8, ... form an arithmetic sequence? How do you know?
- Graph the first few terms of the sequence of even numbers. Do the points you graphed lay on a straight line?

Exercise 23 Let s_1, s_2, s_3, \dots be the sequence such that s_n is the sum of the first n even numbers, for example: $s_5 = 2 + 4 + 6 + 8 + 10 = 30$.

- Fill in the following table

n	1	2	3	4	7	n
s_n	2					

- Is s_n a geometric or arithmetic sequence?
- What is the relationship between s_n and s_{n-1} ?
- Write down the algebraic expression for s_n .

Exercise 24 Look at the following array of numbers.

		1		
	3		5	
7		9		11
13	15	17		19

- Write the next two rows. How is the array constructed?
- Look at the middle number in rows that have a middle number. What is the pattern?
- In rows that do not have a middle number, what is the number between the middle two numbers. What is the pattern?
- Find the sum of the numbers in each row. What is the pattern?
- What is the first number in the n^{th} row?
- What is the last number in the n^{th} row?
- How do questions e. and f. help answer question b.?

Exercise 25 *Looking back at the entire chapter on sequences, answer the following essential questions:*

- a. How do we describe a pattern?*
- b. How can patterns be used to make predictions?*
- c. What are some ways to represent, describe, and analyze patterns?*

2.8 Summary

Definition 3 An infinite list of numbers is called a **sequence**. Sequences are written in the form

$$a_1, a_2, a_3, \dots$$

a_n is called the n^{th} **term of the sequence**.

Generally people think of sequences as having a nice pattern that one can describe either using words or mathematical expressions. For example, $a_n =$ "the number of rainy days in each month starting with January of 3017" describes a sequence (this is of course assuming that people or a natural disaster do not swipe the Earth away). $b_n = 3n - 4$, where n is a whole number, also describes a sequence. The first sequence, however, does not have a nice symbolic description. If you wrote down the sequence by listing its terms, you wouldn't notice any patterns that you can describe by a neat little formula. Many sequences are just lists of random numbers. Other sequences can neatly be described in mathematical, symbolic, language.

Definition 4 A sequence a_1, a_2, a_3, \dots is an **arithmetic sequence** if there is a number d such that

$$a_n = a_{n-1} + d.$$

We can say that this is the sequence where each term is obtained from the previous one by adding a constant number, d . We call this a *recursive* definition of a sequence. The n -th term of an arithmetic sequence can be described *explicitly* as well:

$$a_n = a_1 + (n - 1)d.$$

Here you see that, in order to describe the sequence completely it is necessary to give its first term a_1 as well as the common difference d .

Some people like to start their sequences with 0^{th} term of the sequence: a_0, a_1, a_2, \dots . In that case the explicit formula for the arithmetic sequence seems less complicated:

$$a_n = a_0 + nd.$$

Another example of a special type of a sequence is the one where each element is obtained from the previous one by multiplying it by a constant number, r .

Definition 5 A sequence a_1, a_2, a_3, \dots is a **geometric sequence** if there is a number r such that

$$a_n = r \cdot a_{n-1}$$

The explicit formula for the n -th term of a geometric sequence is given by

$$a_n = a_1 \cdot r^{n-1}.$$

Here, too, we might get somewhat simpler expression if we start with 0^{th} term instead of the 1^{st} :

$$a_n = a_0 \cdot r^n.$$


Apart from describing a sequence by giving either recursive or explicit formula that tells us what a general term looks like, we note that we can also simply use a list $\{a_1, a_2, a_3, \dots\}$. For example: $\{1, 3, 6, 5, 2, 3, 1, 4, 5, 5, \dots\}$.

Sequences can be organized in tables:

n	a_n
1	a_1
2	a_2
3	a_3
4	a_4

n	1	2	3	4	5	6	7	8	9	10	...
a_n	1	3	6	5	2	3	1	4	5	5	...

We can graphically represent a sequence by graphing ordered pairs (n, a_n) where the position in the sequence is represented on the x -axis, and the corresponding term of the sequence is represented on the y -axis. For example:



2.9 Student learning outcomes

1. Students will be able to identify arithmetic and geometric sequences.
2. Students will be able to use algebraic expressions, graphs, tables and verbal cues to identify and work with sequences.
3. Students will be able to compute the n -th term in a geometric/arithmetic sequence.
4. Students will be willing to engage and work with a pattern that they are unfamiliar with.

Have you accomplished these outcomes? Use the homework exercises to ensure that you have. Are there any questions that remain? Make sure to clarify those in class or while collaborating with your peers.