

A Complete Bibliography of Publications in *ACM Letters on Programming Languages and Systems (LOPLAS)*

Nelson H. F. Beebe
University of Utah
Department of Mathematics, 110 LCB
155 S 1400 E RM 233
Salt Lake City, UT 84112-0090
USA

Tel: +1 801 581 5254
FAX: +1 801 581 4148

E-mail: beebe@math.utah.edu, beebe@acm.org,
beebe@computer.org (Internet)
WWW URL: <http://www.math.utah.edu/~beebe/>

14 October 2017
Version 1.08

Title word cross-reference

77D [33].

90D [33].

Abstract [18]. **after** [15]. **algorithm** [29].
algorithmic [22]. **alias** [2]. **analysis**
[2, 15, 36, 17, 18, 23, 39]. **approach** [18].
approximation [10]. **array** [9, 36].
assembly [13]. **assignment** [12]. **assisted**
[24]. **assumption** [8].

bound [36].

C [35, 13]. **call** [17, 20]. **case** [3]. **checks**
[9, 36]. **closure** [14]. **code** [16, 12, 6].

code-generator [16]. **collection** [24].
collector [5]. **Coloring** [1]. **compilation**
[33]. **Compiling** [38, 13]. **complexity** [4].
computers [38]. **computing** [26].
conditions [7]. **constant** [41]. **constraint**
[40]. **context** [32]. **context-free** [32].
control [26, 14]. **conversion** [37]. **Cost** [24].
Cost-effective [24]. **CPS** [15].
CPS-transformation [15].

dangling [35]. **data** [2, 11, 18, 42].
data-flow [2]. **debugging** [22]. **Definitions**
[19]. **dependence** [26, 19, 14]. **description**
[18]. **design** [11]. **detection** [35]. **direct**
[37]. **directed** [21]. **distance** [19].
Distributed [20].

effective [24]. **effects** [3]. **Efficient**

- [17, 30, 2, 16, 39]. **empirical** [41]. **Engineering** [16]. **errors** [27]. **estimating** [4]. **evaluation** [21]. **exclusion** [29]. **executable** [28]. **Explaining** [27]. **Extending** [32].
- floating** [11]. **floating-point** [11]. **flow** [26, 2, 36]. **form** [12]. **formalizations** [7]. **Fortran** [33]. **free** [32].
- garbage** [5, 24]. **Generalized** [22]. **Generating** [6]. **generator** [31, 16]. **global** [8]. **goal** [21]. **goal-directed** [21]. **grammars** [32]. **graph** [17]. **groundness** [39].
- hardware** [24]. **hardware-assisted** [24].
- imperative** [18]. **Implementing** [29]. **improving** [18]. **indirect** [37]. **information** [2]. **inline** [3]. **integration** [2]. **intermediate** [21]. **Interprocedural** [41, 28, 2]. **issues** [7]. **iterated** [14].
- join** [14].
- Lamport** [29]. **languages** [27]. **last** [20]. **latency** [5]. **linear** [26]. **locks** [29]. **logic** [10, 39, 40, 20].
- machines** [6]. **maintenance** [21]. **management** [24]. **memory** [38]. **message** [38]. **message-passing** [38]. **ML** [13]. **mobile** [34]. **multiple** [29]. **mutual** [29].
- near** [26]. **near-linear** [26]. **No** [13]. **nondeterministic** [42].
- object** [24, 25]. **object-oriented** [25]. **objects** [34]. **opacity** [42]. **Optimization** [9, 18, 40, 20]. **optimizer** [12]. **Optimizing** [36]. **oriented** [25].
- pairs** [1]. **parallel** [6, 20]. **passing** [38].
- path** [10]. **permutation** [32]. **phrases** [32]. **point** [11]. **pointer** [18]. **Polymorphic** [4, 27]. **portable** [20]. **Precise** [28, 2, 39]. **procedures** [25]. **program** [4]. **programming** [20, 25]. **programs** [10, 35, 18, 39, 40]. **propagation** [41].
- race** [7]. **range** [9]. **RE2C** [31]. **real** [5, 24]. **real-time** [5, 24]. **reasoning** [8]. **recursion** [37]. **reducible** [26]. **Reducing** [5]. **References** [34, 35]. **Referential** [42]. **refinement** [42]. **region** [26]. **regions** [26]. **register** [1]. **remote** [34]. **representation** [30]. **required** [13].
- scanner** [31]. **Semantics** [40]. **sets** [30]. **shared** [38]. **shared-memory** [38]. **Shortest** [10]. **side** [3]. **SIMD** [6]. **simple** [16]. **single** [12]. **slices** [28]. **Some** [7]. **space** [24]. **sparse** [30]. **standard** [13]. **static** [23, 12]. **strictness** [15]. **structures** [18]. **study** [3, 41]. **subscript** [9]. **substitution** [3]. **systems** [4].
- testing** [22]. **Thor** [34]. **time** [26, 4, 5, 24, 8]. **transformation** [15]. **transitive** [14]. **type** [27]. **types** [11].
- Undecidability** [23]. **Unexpected** [3]. **Unified** [33]. **Unreachable** [25]. **Using** [12, 29, 36].
- values** [21]. **versatile** [31].

References

Briggs:1992:CRP

- [1] Preston Briggs, Keith D. Cooper, and Linda Torczon. Coloring register pairs. *ACM Letters on Programming Languages and Systems*, 1(1):3–13, March 1992. CO-DEN ALPSE8. ISSN 1057-4514 (print), 1557-7384 (electronic). URL <http://>

//www.acm.org/pubs/toc/Abstracts/
1057-4514/130617.html.

Burke:1992:PEI

- [2] Michael Burke and Jong-Deok Choi. Precise and efficient integration of inter-procedural alias information into data-flow analysis. *ACM Letters on Programming Languages and Systems*, 1(1):14–21, March 1992. CODEN ALPSE8. ISSN 1057-4514 (print), 1557-7384 (electronic). URL <http://www.acm.org/pubs/toc/Abstracts/1057-4514/130618.html>.

Cooper:1992:USE

- [3] Keith D. Cooper, Mary W. Hall, and Linda Torczon. Unexpected side effects of inline substitution: a case study. *ACM Letters on Programming Languages and Systems*, 1(1):22–32, March 1992. CODEN ALPSE8. ISSN 1057-4514 (print), 1557-7384 (electronic). URL <http://www.acm.org/pubs/toc/Abstracts/1057-4514/130619.html>.

Dornic:1992:PTS

- [4] Vincent Dornic, Pierre Jouvelot, and David K. Gifford. Polymorphic time systems for estimating program complexity. *ACM Letters on Programming Languages and Systems*, 1(1):33–45, March 1992. CODEN ALPSE8. ISSN 1057-4514 (print), 1557-7384 (electronic). URL <http://www.acm.org/pubs/toc/Abstracts/1057-4514/130620.html>.

Johnson:1992:RLR

- [5] Ralph E. Johnson. Reducing the latency of a real-time garbage collector. *ACM Letters on Programming Languages and Systems*, 1(1):46–58, March 1992. CODEN ALPSE8. ISSN 1057-4514 (print), 1557-7384 (electronic). URL <http://www.acm.org/pubs/toc/Abstracts/1057-4514/151392.html>.

//www.acm.org/pubs/toc/Abstracts/
1057-4514/130621.html.

McKenney:1992:GPC

- [6] Bruce McKenney and Boleslaw K. Szymanski. Generating parallel code for SIMD machines. *ACM Letters on Programming Languages and Systems*, 1(1):59–73, March 1992. CODEN ALPSE8. ISSN 1057-4514 (print), 1557-7384 (electronic). URL <http://www.acm.org/pubs/toc/Abstracts/1057-4514/130622.html>.

Netzer:1992:WRC

- [7] Robert H. B. Netzer and Barton P. Miller. What are race conditions?: Some issues and formalizations. *ACM Letters on Programming Languages and Systems*, 1(1):74–88, March 1992. CODEN ALPSE8. ISSN 1057-4514 (print), 1557-7384 (electronic). URL <http://www.acm.org/pubs/toc/Abstracts/1057-4514/130623.html>.

Singh:1992:RGT

- [8] Ambuj K. Singh. On reasoning with the global time assumption. *ACM Letters on Programming Languages and Systems*, 1(1):89–103, March 1992. CODEN ALPSE8. ISSN 1057-4514 (print), 1557-7384 (electronic). URL <http://www.acm.org/pubs/toc/Abstracts/1057-4514/130624.html>.

Asuru:1992:OAS

- [9] Jonathan M. Asuru. Optimization of array subscript range checks. *ACM Letters on Programming Languages and Systems*, 1(2):109–118, June 1992. CODEN ALPSE8. ISSN 1057-4514 (print), 1557-7384 (electronic). URL <http://www.acm.org/pubs/toc/Abstracts/1057-4514/151392.html>.

- | | |
|---|--|
| <div style="border: 1px solid black; padding: 2px; text-align: center;">Dietrich:1992:SPA</div> <p>[10] Suzanne W. Dietrich. Shortest path by approximation in logic programs. <i>ACM Letters on Programming Languages and Systems</i>, 1(2):119–137, June 1992. CODEN ALPSE8. ISSN 1057-4514 (print), 1557-7384 (electronic). URL http://www.acm.org/pubs/toc/Abstracts/1057-4514/151377.html.</p> <div style="border: 1px solid black; padding: 2px; text-align: center;">Goldberg:1992:DFD</div> <p>[11] David Goldberg. The design of floating-point data types. <i>ACM Letters on Programming Languages and Systems</i>, 1(2):138–151, June 1992. CODEN ALPSE8. ISSN 1057-4514 (print), 1557-7384 (electronic). URL http://www.acm.org/pubs/toc/Abstracts/1057-4514/151373.html.</p> <div style="border: 1px solid black; padding: 2px; text-align: center;">McConnell:1992:USS</div> <p>[12] Carl McConnell and Ralph E. Johnson. Using static single assignment form in a code optimizer. <i>ACM Letters on Programming Languages and Systems</i>, 1(2):152–160, June 1992. CODEN ALPSE8. ISSN 1057-4514 (print), 1557-7384 (electronic). URL http://www.acm.org/pubs/toc/Abstracts/1057-4514/151368.html.</p> <div style="border: 1px solid black; padding: 2px; text-align: center;">Tarditi:1992:NAR</div> <p>[13] David Tarditi, Peter Lee, and Anurag Acharya. No assembly required: compiling standard ML to C. <i>ACM Letters on Programming Languages and Systems</i>, 1(2):161–177, June 1992. CODEN ALPSE8. ISSN 1057-4514 (print), 1557-7384 (electronic). URL http://www.acm.org/pubs/toc/Abstracts/1057-4514/151343.html.</p> | <div style="border: 1px solid black; padding: 2px; text-align: center;">Weiss:1992:TCC</div> <p>[14] Michael Weiss. The transitive closure of control dependence: the iterated join. <i>ACM Letters on Programming Languages and Systems</i>, 1(2):178–190, June 1992. CODEN ALPSE8. ISSN 1057-4514 (print), 1557-7384 (electronic). URL http://www.acm.org/pubs/toc/Abstracts/1057-4514/151337.html.</p> <div style="border: 1px solid black; padding: 2px; text-align: center;">Danvy:1992:CAS</div> <p>[15] Olivier Danvy and John Hatcliff. CPS-transformation after strictness analysis. <i>ACM Letters on Programming Languages and Systems</i>, 1(3):195–212, September 1992. CODEN ALPSE8. ISSN 1057-4514 (print), 1557-7384 (electronic). URL http://www.acm.org/pubs/toc/Abstracts/1057-4514/151641.html.</p> <div style="border: 1px solid black; padding: 2px; text-align: center;">Fraser:1992:ESE</div> <p>[16] Christopher W. Fraser, David R. Hanson, and Todd A. Proebsting. Engineering a simple, efficient code-generator generator. <i>ACM Letters on Programming Languages and Systems</i>, 1(3):213–226, September 1992. CODEN ALPSE8. ISSN 1057-4514 (print), 1557-7384 (electronic). URL http://storage.webhop.net/documents/iburg.pdf; http://www.acm.org/pubs/toc/Abstracts/1057-4514/151642.html; http://www.cs.princeton.edu/software/iburg/.</p> <div style="border: 1px solid black; padding: 2px; text-align: center;">Hall:1992:ECG</div> <p>[17] Mary W. Hall and Ken Kennedy. Efficient call graph analysis. <i>ACM Letters on Programming Languages and Systems</i>, 1(3):227–242, September 1992. CODEN ALPSE8. ISSN 1057-4514 (print), 1557-7384 (electronic). URL http://www.acm.org/pubs/toc/Abstracts/1057-4514/151344.html.</p> |
|---|--|

- [org/pubs/toc/Abstracts/1057-4514/151643.html.](http://www.acm.org/pubs/toc/Abstracts/1057-4514/151643.html)
- Hummel:1992:ADP**
- [18] Joseph Hummel, Laurie J. Hendren, and Alexandru Nicolau. Abstract description of pointer data structures: an approach for improving the analysis and optimization of imperative programs. *ACM Letters on Programming Languages and Systems*, 1(3):243–260, September 1992. CODEN ALPSE8. ISSN 1057-4514 (print), 1557-7384 (electronic). URL <http://www.acm.org/pubs/toc/Abstracts/1057-4514/151644.html>.
- Pugh:1992:DDD**
- [19] William Pugh. Definitions of dependence distance. *ACM Letters on Programming Languages and Systems*, 1(3):261–265, September 1992. CODEN ALPSE8. ISSN 1057-4514 (print), 1557-7384 (electronic). URL <http://www.acm.org/pubs/toc/Abstracts/1057-4514/151645.html>.
- Ramkumar:1992:DLC**
- [20] Balkrishna Ramkumar. Distributed last call optimization for portable parallel logic programming. *ACM Letters on Programming Languages and Systems*, 1(3):266–283, September 1992. CODEN ALPSE8. ISSN 1057-4514 (print), 1557-7384 (electronic). URL <http://www.acm.org/pubs/toc/Abstracts/1057-4514/151345.html>.
- Walker:1992:MIV**
- [21] Kenneth Walker and Ralph E. Griswold. The maintenance of intermediate values in goal-directed evaluation. *ACM Letters on Programming Languages and Systems*, 1(3):284–298, September 1992. CODEN ALPSE8. ISSN 1057-4514 (print), 1557-7384 (electronic). URL <http://www.acm.org/pubs/toc/Abstracts/1057-4514/151346.html>.
- [org/pubs/toc/Abstracts/1057-4514/151341.html.](http://www.acm.org/pubs/toc/Abstracts/1057-4514/151341.html)
- Fritzson:1992:GAD**
- [22] Peter Fritzson, Nahid Shahmehri, Mariam Kamkar, and Tibor Gyimothy. Generalized algorithmic debugging and testing. *ACM Letters on Programming Languages and Systems*, 1(4):303–322, December 1992. CODEN ALPSE8. ISSN 1057-4514 (print), 1557-7384 (electronic). URL <http://www.acm.org/pubs/toc/Abstracts/1057-4514/161498.html>.
- Landi:1992:USA**
- [23] William Landi. Undecidability of static analysis. *ACM Letters on Programming Languages and Systems*, 1(4):323–337, December 1992. CODEN ALPSE8. ISSN 1057-4514 (print), 1557-7384 (electronic). URL <http://www.acm.org/pubs/toc/Abstracts/1057-4514/161501.html>.
- Nilsen:1992:COS**
- [24] Kelvin D. Nilsen and William J. Schmidt. Cost-effective object space management for hardware-assisted real-time garbage collection. *ACM Letters on Programming Languages and Systems*, 1(4):338–354, December 1992. CODEN ALPSE8. ISSN 1057-4514 (print), 1557-7384 (electronic). URL <http://www.acm.org/pubs/toc/Abstracts/1057-4514/161508.html>.
- Srivastava:1992:UPO**
- [25] Amitabh Srivastava. Unreachable procedures in object-oriented programming. *ACM Letters on Programming Languages and Systems*, 1(4):355–364, December 1992. CODEN ALPSE8. ISSN 1057-4514 (print), 1557-7384 (electronic). URL <http://www.acm.org/pubs/toc/Abstracts/1057-4514/161517.html>.

- | | |
|---|--|
| <div style="border: 1px solid black; padding: 2px; text-align: center;">Ball:1993:WRC</div> <p>[26] Thomas Ball. What's in a region?: or computing control dependence regions in near-linear time for reducible control flow. <i>ACM Letters on Programming Languages and Systems</i>, 2(4):1–16, March 1993. CODEN ALPSE8. ISSN 1057-4514 (print), 1557-7384 (electronic). URL http://www.acm.org/pubs/toc/Abstracts/1057-4514/176456.html.</p> <div style="border: 1px solid black; padding: 2px; text-align: center;">Beaven:1993:ETE</div> <p>[27] Mike Beaven and Ryan Stansifer. Explaining type errors in polymorphic languages. <i>ACM Letters on Programming Languages and Systems</i>, 2(4):17–30, March 1993. CODEN ALPSE8. ISSN 1057-4514 (print), 1557-7384 (electronic). URL http://www.acm.org/pubs/toc/Abstracts/1057-4514/176460.html.</p> <div style="border: 1px solid black; padding: 2px; text-align: center;">Binkley:1993:PEI</div> <p>[28] David Binkley. Precise executable interprocedural slices. <i>ACM Letters on Programming Languages and Systems</i>, 2(4):31–45, March 1993. CODEN ALPSE8. ISSN 1057-4514 (print), 1557-7384 (electronic). URL http://www.acm.org/pubs/toc/Abstracts/1057-4514/176473.html.</p> <div style="border: 1px solid black; padding: 2px; text-align: center;">Boehm:1993:IML</div> <p>[29] Hans-J. Boehm, Alan J. Demers, and Chris Uhler. Implementing multiple locks using Lamport's mutual exclusion algorithm. <i>ACM Letters on Programming Languages and Systems</i>, 2(4):46–58, March 1993. CODEN ALPSE8. ISSN 1057-4514 (print), 1557-7384 (electronic). URL http://www.acm.org/pubs/toc/Abstracts/1057-4514/176479.html.</p> | <div style="border: 1px solid black; padding: 2px; text-align: center;">Briggs:1993:ERS</div> <p>[30] Preston Briggs and Linda Torczon. An efficient representation for sparse sets. <i>ACM Letters on Programming Languages and Systems</i>, 2(4):59–69, March 1993. CODEN ALPSE8. ISSN 1057-4514 (print), 1557-7384 (electronic). URL http://www.acm.org/pubs/toc/Abstracts/1057-4514/176484.html.</p> <div style="border: 1px solid black; padding: 2px; text-align: center;">Bumbulis:1993:RMV</div> <p>[31] Peter Bumbulis and Donald D. Cowan. RE2C: a more versatile scanner generator. <i>ACM Letters on Programming Languages and Systems</i>, 2(4):70–84, March 1993. CODEN ALPSE8. ISSN 1057-4514 (print), 1557-7384 (electronic). URL http://www.acm.org/pubs/toc/Abstracts/1057-4514/176487.html.</p> <div style="border: 1px solid black; padding: 2px; text-align: center;">Cameron:1993:ECG</div> <p>[32] Robert D. Cameron. Extending context-free grammars with permutation phrases. <i>ACM Letters on Programming Languages and Systems</i>, 2(4):85–94, March 1993. CODEN ALPSE8. ISSN 1057-4514 (print), 1557-7384 (electronic). URL http://www.acm.org/pubs/toc/Abstracts/1057-4514/176490.html.</p> <div style="border: 1px solid black; padding: 2px; text-align: center;">Choudhary:1993:UCF</div> <p>[33] Alok Choudhary, Geoffrey Fox, Seema Hiranyanandani, Ken Kennedy, Charles Koelbel, Sanjay Ranka, and Chau-Wen Tseng. Unified compilation of Fortran 77D and 90D. <i>ACM Letters on Programming Languages and Systems</i>, 2(4):95–114, March 1993. CODEN ALPSE8. ISSN 1057-4514 (print), 1557-7384 (electronic). URL http://www.acm.org/pubs/toc/Abstracts/1057-4514/176495.html.</p> |
|---|--|

- | | |
|--|--|
| <div style="border: 1px solid black; padding: 2px; text-align: center;">Day:1993:RRM</div> <p>[34] Mark Day, Barbara Liskov, Umesh Moshwari, and Andrew C. Myers. References to remote mobile objects in Thor. <i>ACM Letters on Programming Languages and Systems</i>, 2(4):115–126, March 1993. CODEN ALPSE8. ISSN 1057-4514 (print), 1557-7384 (electronic). URL http://www.acm.org/pubs/toc/Abstracts/1057-4514/176500.html.</p> <div style="border: 1px solid black; padding: 2px; text-align: center;">Eyre-Todd:1993:DDR</div> <p>[35] Richard A. Eyre-Todd. The detection of dangling references in C++ programs. <i>ACM Letters on Programming Languages and Systems</i>, 2(4):127–134, March 1993. CODEN ALPSE8. ISSN 1057-4514 (print), 1557-7384 (electronic). URL http://www.acm.org/pubs/toc/Abstracts/1057-4514/176504.html.</p> <div style="border: 1px solid black; padding: 2px; text-align: center;">Gupta:1993:OAB</div> <p>[36] Rajiv Gupta. Optimizing array bound checks using flow analysis. <i>ACM Letters on Programming Languages and Systems</i>, 2(4):135–150, March 1993. CODEN ALPSE8. ISSN 1057-4514 (print), 1557-7384 (electronic). URL http://www.acm.org/pubs/toc/Abstracts/1057-4514/176507.html.</p> <div style="border: 1px solid black; padding: 2px; text-align: center;">Kaser:1993:CID</div> <p>[37] Owen Kaser, C. R. Ramakrishnan, and Shaunak Pawagi. On the conversion of indirect to direct recursion. <i>ACM Letters on Programming Languages and Systems</i>, 2(4):151–164, March 1993. CODEN ALPSE8. ISSN 1057-4514 (print), 1557-7384 (electronic). URL http://www.acm.org/pubs/toc/Abstracts/1057-4514/176510.html.</p> | <div style="border: 1px solid black; padding: 2px; text-align: center;">Larus:1993:CSM</div> <p>[38] James R. Larus. Compiling for shared-memory and message-passing computers. <i>ACM Letters on Programming Languages and Systems</i>, 2(4):165–180, March 1993. CODEN ALPSE8. ISSN 1057-4514 (print), 1557-7384 (electronic). URL http://www.acm.org/pubs/toc/Abstracts/1057-4514/176514.html.</p> <div style="border: 1px solid black; padding: 2px; text-align: center;">Marriott:1993:PEG</div> <p>[39] Kim Marriott and Harald Søndergaard. Precise and efficient groundness analysis for logic programs. <i>ACM Letters on Programming Languages and Systems</i>, 2(4):181–196, March 1993. CODEN ALPSE8. ISSN 1057-4514 (print), 1557-7384 (electronic). URL http://www.acm.org/pubs/toc/Abstracts/1057-4514/176519.html.</p> <div style="border: 1px solid black; padding: 2px; text-align: center;">Marriott:1993:SCL</div> <p>[40] Kim Marriott and Peter J. Stuckey. Semantics of constraint logic programs with optimization. <i>ACM Letters on Programming Languages and Systems</i>, 2(4):197–212, March 1993. CODEN ALPSE8. ISSN 1057-4514 (print), 1557-7384 (electronic). URL http://www.acm.org/pubs/toc/Abstracts/1057-4514/176522.html.</p> <div style="border: 1px solid black; padding: 2px; text-align: center;">Metzger:1993:ICP</div> <p>[41] Robert Metzger and Sean Stroud. Interprocedural constant propagation: an empirical study. <i>ACM Letters on Programming Languages and Systems</i>, 2(4):213–232, March 1993. CODEN ALPSE8. ISSN 1057-4514 (print), 1557-7384 (electronic). URL http://www.acm.org/pubs/toc/Abstracts/1057-4514/176526.html.</p> |
|--|--|

Qian:1993:RON

- [42] Xiaolei Qian and Allen Goldberg. Referential opacity in nondeterministic data refinement. *ACM Letters on Programming Languages and Systems*, 2(4):233–241, March 1993. CODEN ALPSE8. ISSN 1057-4514 (print), 1557-7384 (electronic). URL <http://www.acm.org/pubs/toc/Abstracts/1057-4514/176578.html>.