

MATH 5620 NUMERICAL ANALYSIS II
HOMEWORK 2, DUE WEDNESDAY FEBRUARY 10 2010

Note: Please do not loose time solving systems or finding roots of polynomials by hand (unless the roots are trivial to find). You can use Matlab, Maple etc...

Problem 1 (K&C 8.4: 4,5) Use the method of undetermined coefficients we saw in class to derive:

- (a) The fourth-order Adams-Basforth method:

$$y_{n+1} = y_n + \frac{h}{24}(55f_n - 59f_{n-1} + 37f_{n-2} - 9f_{n-3})$$

- (b) The fourth-order Adams-Moulton method:

$$y_{n+1} = y_n + \frac{h}{24}(9f_{n+1} + 19f_n - 5f_{n-1} + f_{n-2})$$

Note: The linear systems are easy to setup by hand (you can reuse most of the values given in the class notes).

Problem 2 (K&C 8.4.16) Determine the order of the method

$$y_n = y_{n-2} + 2hf_{n-1}$$

using the procedure outlined in class (compute d_0, d_1, \dots stopping at the first non-zero d_{m+1} . The method will be of order m .)

Problem 3 (K&C 8.5.1) Determine whether each of the following methods is stable, consistent or convergent. Please use the definitions of stability and consistency we saw in class.

- (a) $y_n - y_{n-2} = 2hf_{n-1}$
(b) $y_n - y_{n-2} = (h/3)(7f_{n-1} - 2f_{n-2} + f_{n-3})$
(c) $y_n - y_{n-1} = (h/24)(9f_n + 19f_{n-1} - 5f_{n-2} + f_{n-3})$

Problem 4 B&F 5.6.2 and 5.6.6 (a,b only).