Practice Final Exam

Equations in One Variable

How many real number solutions are there for the following equations? Your answers will either be 0, 1, 2, or ∞ , if there are infinitely many solutions. Worth $\frac{1}{2}$ point each.

1.) $x^2 = 5$ 2	2.) $\tan(x) = 17$ 🐼	3.) $\sqrt{x} = -4$ ()
4.) $\sin(x) = \frac{2}{3} 0$	5.) $e^x = 5$ 1	6.) $\cos(x) = -2$ ()
7.) $-x^2 + 2x - 3 = 0$	8.) $x^2 = -1$ ()	9.) $\log_e(x) = -3$ 1
7.) $-x^2 + 2x - 3 = 0$ () $2^2 - 4(-1)(-3) = -8 < 0$ 10.) $\sin(x) = 4$ ()	11.) $\sqrt{x} = 6$ 1	12.) $e^x = 0$ \bigcirc
13.) $x^2 = 0$ 1	14.) $\cos(x) = -\frac{1}{2}$ 🔊	15.) $x^2 - 4x + 1 = 0$ 2 (-4) ² - 4(1)(1) = 12 > 0
		$(-4)^{-} - 4(1)(1) = 12 > 0$


Linear Algebra

16.) Give the vector written as a ROW vector $\begin{pmatrix} 2 & 1 \\ -3 & 0 \end{pmatrix} \begin{pmatrix} 4 \\ -2 \end{pmatrix}$ $\begin{pmatrix} 2(4)+1(-2) \\ -3(4)+0(-2) \end{pmatrix} = \begin{pmatrix} 6 \\ -12 \end{pmatrix} = \begin{pmatrix} 6 \\ -12 \end{pmatrix} = \begin{pmatrix} 6 \\ -12 \end{pmatrix}$


17.) Find the product
$$\begin{pmatrix} 2 & 1 \\ 0 & -4 \end{pmatrix} \begin{pmatrix} 1 \\ 5 \end{pmatrix} \begin{pmatrix} -3 \\ 0 \end{pmatrix} = \begin{pmatrix} 2(i) + 1(5) & 2(-3) + 1(0) \\ 0(i) + (-4)(5) & 0(-3) + (-4)(0) \end{pmatrix} = \begin{pmatrix} 7 & -6 \\ -20 & 0 \end{pmatrix}$$

Conics and other solutions of equations in two variables


18.) Give the equation for a line of slope 2 that passes through the origin.




19.) Give the equation for a line of slope 2 that passes through the point (3, 4).




20.) Give the equation of the unit circle.




21.) Give the equation of the circle of radius 4 centered at the origin.






22.) Give the equation of the circle of radius 4 centered at the point (5,7).

23.) Give the equation of the ellipse obtained by starting with the unit circle, and then scaling the x-axis by 3, and the y-axis by 2.




24.) Give the equation of the ellipse from 23.) shifted right by 4 and up by 5.



25.) Draw the set of solutions of the equation xy = 1.

- 26.) Draw the set of solutions of the equation $x^2 y^2 = 1$.
- 27.) Draw the set of solutions of the equation $y^2 x^2 = 1$.
- 28.) Draw the set of solutions of the equation $y = x^2$.
- 29.) Draw the set of solutions of the equation $x = y^2$.


- 30.) $R_{-\pi/4} = \begin{pmatrix} \frac{1}{\sqrt{2}} & \frac{1}{\sqrt{2}} \\ -\frac{1}{\sqrt{2}} & \frac{1}{\sqrt{2}} \end{pmatrix}$ is the rotation of the plane by angle $-\frac{\pi}{4}$. If $H \subseteq \mathbb{R}^2$ is the set of solutions of xy = 1, then draw $R_{-\frac{\pi}{4}}(H)$.
- 31.) Let P be the set of solutions of $y = x^2$ from #28. What's the equation for P shifted right by 2 and up by 3?




Trigonometry

32.) What is the distance between the points (2,5) and (3,8)? $\sqrt{(2-3)^2 + (5-8)^2} = \sqrt{1+9} = \sqrt{10}$


33.) Find the length of the unlabeled side of the triangle below.



34.) Find $\sin(\theta)$, $\cos(\theta)$, and $\tan(\theta)$ for the angle θ given below. (3 points.)




Match the functions with their graphs.



 π

Match the functions with their graphs.

47.)
$$f(x) = \begin{cases} \sin(x) & \text{if } x < 0; \\ \cos(x) & \text{if } x \ge 0. \end{cases} \quad 48.) \quad g(x) = \begin{cases} \cos(x) & \text{if } x < 0; \\ \sin(x) & \text{if } x \ge 0. \end{cases} \quad B$$



For #53-61, graph cos(x), sin(x), tan(x), sec(x), csc(x), cot(x), arccos(x), arc

Complex numbers

62.) Find (2+i3) + (4+i5). (2+4) + i(3+5) = 6+i8

63.) Find
$$(2 + i3)(1 + i4)$$
.

$$2(i) + 2(i4) + i3(i) + i3(i4)$$

$$= 2 + i8 + i3 - 12$$

$$= -10 + i1$$

64.) What's the norm of 7 + i3.


$$|7+i3| = \sqrt{7^2+3^2} = \sqrt{49+9} = \sqrt{58}$$

65.) Write 5 + i2 in polar coordinates.

 $|5+i2| = \sqrt{25+4} = \sqrt{29}$

$$5+i2 = \sqrt{29} \left(\frac{5}{\sqrt{29}} + i \frac{2}{\sqrt{29^{1}}} \right)$$

66.) Find
$$2(\cos(3) + i\sin(3))4(\cos(8) + i\sin(8))$$
.
 $(2.4) (\cos(3+8) + i\sin(3+8)) = 8(\cos(11) + i\sin(11))$



69.) Draw a dot on the number $2\left(\cos\left(-\frac{\pi}{3}\right)+i\sin\left(-\frac{\pi}{3}\right)\right)$


70.) Draw an X on the number $3\left(\cos\left(\frac{\pi}{2}\right) + i\sin\left(\frac{\pi}{2}\right)\right)z$. (The number z is drawn on the answer sheet.)

Equations in one variable

For #71-76, give the real number solutions of the equations. If there is no solution, explain why there is no solution. For at least one of the problems, the domain of the equation will play an important role. Worth 2 points each.


71.)
$$(\sqrt{x})^2 + \sqrt{x} - 6 = 0$$


Domain: $[0, \infty)$, since we can't square-root
a negative number.
Quadratic Formila with $a=1$, $b=1$, $c=-6$:
 $\sqrt{x} = \frac{-1 \pm \sqrt{1^2 + (1)/6}}{2(1)} = \frac{-1 \pm \sqrt{25}}{2} = \frac{-1 \pm 5}{2}$
That is, $\sqrt{x} = -3$ or $\sqrt{x} = 2$. But
 $\sqrt{x} = -3$ has no solution, so $\sqrt{x} = 2$
and thus, $x = 4$.
72.) $\log_e(x-1) + \log_e(x+3) = 0$
Domain: $x-1 > 0$ and $x+3 > 0$. $\Rightarrow x > 1$ and $x > 3 \Rightarrow x > 1$.
 $\log_e((x-1)(x+3)) = 0$
 $(x-1)(x+3) = e^0 = 1$.
 $x^2 + 2x - 3 = 1$
 $x^2 + 2x - 4 = 0$
 $a=1$, $b=2$, $c=-4$
73.) $e^{2x-1} = -3$
Domain: R .
 $e^{2x-1} = -3$ has no
solution. exponentials are always positive.




75.) $e^{2x+1}e^{3x-7} = 1$ Domain: R $e^{5x-6} = 1$ $5x - 6 = \log_{e}(1) = 0$ 5x=6 $x=\frac{6}{5}$ 76.) (x+1)(2x-3) = (x+1)(x-4)Pomain: R $x+1=0 \qquad 2x-3=x-4 \\ 1 \qquad 1$ X=-1 x = -1 50 x = -1








30.)	1	
	$\overline{\mathbf{n}}$	1
	4	5
	I	
31.)	(y-3)=	$(x-2)^{2}$
32.)	10	
33.)	1113	
34.)	$\sin(\theta) = \frac{3}{5}$	
	$\cos(\theta) = \frac{4}{5}$	
	$\tan(\theta) = \frac{3}{4}$	
35.)	A	
36.)	G	·
37.)		14
38.)		
	B	
	D	





53.) $\cos(\theta)$

54.) $\sin(\theta)$

55.) $\tan(\theta)$









56.) $\sec(\theta)$



58.) $\cot(\theta)$





69.) and 70.)

